

ECE TYPE-APPROVAL CERTIFICATE

Communication concerning the approval extended of a type of mechanical coupling device or component pursuant to Regulation No.55.



Approval No: **E24 55R-010155**

Extension No: **01**

Reason for extension:

***-New versions of the drawbeam
-Minor technical modifications***

1. Trade name or mark of the device or component: ***VBG***
2. Manufacturer's name for the type of device or component: ***CMS TRAILER
Non-standard drawbeam***
3. Manufacturer's name and address: ***VBG GROUP AB,
S-46228 Vänersborg,
Sweden.***
4. If applicable, name and address of the manufacturers representative: ***N/A***
5. Alternative supplier's names or trade marks applied to the device or component: ***N/A***
6. Name and address of the company or body taking responsibility for the conformity of production: ***See 3. above***
7. Submitted for approval on: ***February/May 2009***
8. Technical service responsible for conducting approval tests: ***TÜV SÜD Automotive GmbH,
Westendstraße 199,
D-80686 München,
Germany.***

9. Brief description

9.1 Type and class of device or component:

Class: F
Type: CMS TRAILER
Non-standard drawbeam

9.2 Characteristic values

9.2.1 Primary values:

D: **141 kN**
Dc: **141 kN**
S: **1000 kg**
U: *N/A*
V: **63 kN**

Alternative values:

D: --
Dc: --
S: --
U: --
V: --

9.3 For Class A mechanical coupling devices or components, including towing brackets:

Vehicle manufacturer's maximum permissible vehicle mass: *N/A*

Distribution of maximum permissible vehicle mass between the axles: *N/A*

Vehicle manufacturer's maximum permissible towable trailer mass: *N/A*

Vehicle manufacturer's maximum permissible static mass on coupling ball: *N/A*


Maximum mass of vehicle, with bodywork, in running order, including coolant, oils, fuel, tools and spare wheel (if supplied)but not including driver: *N/A*

10. Instructions for the attachment of the coupling device or component type to the vehicle and photographs or drawings of the mounting points given by the manufacturer

See manufacturer's documentation.

Approval No: E24 55R-010155

Extension No: **01**

11. Information on the fitting of any special reinforcing brackets or plates or spacing components necessary for the attachment of the coupling device or component: **Mounted with DB75V-2**
12. Additional information where the use of coupling device or component is restricted to special types of vehicles - see annex 5, paragraph 3.4.: **See manufacturer's documentation.**
13. For Class K hook type couplings, details of the drawbar eyes suitable for use with the particular hook type: **N/A**
14. Date of test report: **11.01.2013**
15. Number of test report: **10-00156-CX-GBM extension 01**
16. Approval mark position: **Type plate on the left side of the left sideplate.**
17. Reason(s) for extension of approval: **See top of page 1 for details**
18. Approval ~~granted~~/extended/~~refused~~/~~withdrawn~~: **Extended**
19. Place: **Dublin**
20. Date: **22nd January, 2013.**
21. Signature: 
22. The list of documents deposited with the Administration Service which has granted approval is annexed to this communication and may be obtained on request.



VBG GROUP

INFORMATION DOCUMENT No: CMS-TRAILER+01-Idoc

relating to the ECE type-approval as a component of mechanical coupling devices
for motor vehicles and their trailers (UNECE R55).

0. GENERAL
- 0.1. Make (trade name of manufacturer): VBG
- 0.2. Type and commercial description(s): CMS-TRAILER
- including : versions: CMS-TRAILER
longitudinal length on truck frame W : 450 – 1000 mm
side plate height H : 200 – 550 mm
transversal (on truck) beam length L : 900 – 1400 mm
- 0.5 Name and address of manufacturer: VBG GROUP AB
S-462 28 Vänersborg
Sweden
- 0.7. Location and method of affixing of the ECE approval mark:
Type plate on the left side of the left sideplate.
- 0.8 Address(es) of assembly plant(s): VBG GROUP TRUCK EQUIPMENT AB,
Tenggrenstorpsvägen 11
S-462 00 Vänersborg
Sweden
1. CONNECTIONS BETWEEN DRAWING VEHICLES AND TRAILERS AND SEMITRAILERS
- 1.1. Detailed technical description (including drawings and material specifications) of the type of the mechanical coupling device:
Drawbeams for mounting of drawbar couplings.
Overall dimensions: See enclosed information drawings.
Drawings and material specifications: See enclosed list.
- 1.2. Class and type of coupling device(s):
Class F, Non-standard miscellaneous drawbeam.
- 1.3. Maximum D-value: 141 kN
Dc-value: 141 kN
- 1.4. Maximum vertical load S at the coupling point: 1000 kg
- 1.5. Maximum load U at the fifth wheel coupling: Not applicable
- 1.6. Maximum V-value: 63 kN
- 1.7. Instructions for attachment of the coupling type to the vehicle, additional information regarding restrictions of use to special types of vehicles:
See enclosed mounting instructions.
- 1.8. Information on the fitting of special towing brackets or mounting plates:
Mounted with DB75V-2.

2013-JAN-09 JON

E24 55R-010155 Extn01